

SPLIT 2

Date: Tuesday, 1/3/2006 4:15:11 PM  
 User: Kim Johnston

## Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SADDLE BILLET
Job Number : 25356-2	
Estimate Number : 10036	
P.O. Number : N/A	Part Number : D6101013
This Issue : 1/3/2006 S.O. No. : N/A	Drawing Number : D6101 REV A
Prsht Rev. : NC	Project Number : N/A
First Issue : N/A	Drawing Revision : A
Previous Run : N/A	Material : N/A
Written By : _____	Due Date : 3/30/2006
Checked & Approved By : _____	Qty: <del>20</del> 5 Um: Each
Comment : Est. A: 01.05.04 New Issue EC	

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0

PG

PURCHASING



Comment: PURCHASING

Issue P/O: 00000339

06/01/04

a) Description: Alluminum billet

b) 10.100" x 8.250" x 2.50" thick (+0.030 / -0.000)

c) Tolerance on all dimensions are +0.030/-0.000"

d) Grain direction along 10.100" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

2.0

D6101013

Saddle billet



Comment: Qty.: 1.0000 Each(s)/Unit Total: 30.0000 Each(s)

Saddle billet

3.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive &amp; Inspect For Transit Damage

Ensure material certification is attached

4.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D6101

mf 06/01/30 5

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☐ No ☒ DQA: ☒ Date: 06/11/30  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE BILLET

Job Number: 25356

Part Number: D6101013

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

*104/11/25 (5)*

6.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21

*(5) 204/11/30*

Job Completion



*C 204/11/30*



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SHIP TO:  
A M CASTLE & CO  
3400 NO. WOLF ROAD  
FRANKLIN PARK, IL 60131

SOLD TO:  
AM CASTLE & CO  
3400 NO. WOLF ROAD  
FRANKLIN PARK, IL 60131

**KAISER  
ALUMINUM**

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4080392

CUSTOMER PO NUMBER: 01-83475		WORK PACKAGE:		CUSTOMER PART NUMBER: 6873 A97075-80		SHIP RUN/LOAD ID: 100828/18		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1042200	LINE ITEM: 1	SHIP DATE: 9-NOV-2006	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: MILL FINISH PLATE			
WEIGHT SHIPPED: 7276 LB	QUANTITY: 4 PCS EST.	B/L NUMBER: 2010362	GUAGE: 2.5000 IN	WIDTH: 48.500 IN	LENGTH: 147.000 IN				

### Certified Specifications

AMS 4078/RevF  
ASTM B 209/Rev06  
BSS 7055/RevA  
GSS16100/RevG  
PS 21211/RevJ

AMS-QQ-A-250/12  
ASTM B 594/Rev02  
CSTI 006/RevC  
MIL-STD-2154

AMS-STD-2154  
BAC 5439/RevH  
DPS 4.713/RevN/AmdAF  
MMS 159/RevN

Test Code: 4297

### Test Results

Lot: 378703A3 Cast 933

Drop 16

Ingot 1

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)					Yield KSI (MPA)		Elongation %	
	T7351	LT / 2 (Min:Max)	89.9 : 70.0 (482 : 483)					58.3 : 58.7 (402 : 405)		10.8 : 11.6	
Conductivity %IACS :			42.4 Min					42.8 Max			
(MS/M) :			24.6 Min					24.8 Max			
Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.08	0.17	1.42	0.01	2.48	0.20	5.60	0.01	0.01	0.01	TOT 0.02

### ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.20	0.00	2.10	0.18	5.10	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.00	0.30	2.90	0.28	6.10	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

CASTLE METALS FP  
DATE REC'D 11.15.06 FAC 6873  
APPROVED BY: SW








DESIGN CP	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED S	DRAWING NO. D6101	Rev. A SHEET 1 OF 1
DATE 01.03.30		TITLE SADDLE BILLET, 7075	SCALE NTS
A	01.03.30	NEW ISSUE	

## SPECIFICATION CONTROL DRAWING

RELEASED  
01.04.23 CP



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





**KAISER  
ALUMINUM**

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

**CERTIFIED TEST REPORT**

Serial Number

4080392

**TEST NOTES**

Metal represented by this test report was immersion  
ultrasonically tested from one side and meets the Class A  
and Class B requirements of all specifications referenced  
on this test report.

**CERTIFICATION**

KAISER ALUMINUM & CHEMICAL CORPORATION (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A. AND HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT-TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS ARE ON FILE, SUBJECT TO EXAMINATION. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM & CHEMICAL CORPORATION LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULANT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED

**BILL POYNOR, LABORATORIES SUPERVISOR**

